Page: 1

Printed: 10/26/2022 Revision: 10/26/2022

1. Product and Company Identification

Product Name: R-A-D Guard RTU

Company Name: RAD OPW LLC

2388 Franklin Rd

Bloomfield Hills, MI 48302

Web site address: www.restore-a-deck.com

Emergency Contact: INFOTRAC (800) 535-5053

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2



GHS Signal Word: Warning

GHS Hazard Phrases: Causes serious eye irritation.

GHS Precautionary Phrases: Wash hands thoroughly after handling.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If skin irritation occurs, get medical advice/attention. If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal

Phrases:

Dispose of contents/container to ...

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Other Hazards: Causes mild skin irritation. May cause long lasting harmful effects to aquatic life.

Inhalation: May cause respiratory tract irritation. Low hazard for normal industrial handling. The

toxicological properties of this substance have not been fully investigated.

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Ingestion: May cause irritation of the digestive tract. Low hazard for usual industrial handling. The

toxicological properties of this substance have not been fully investigated.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration	
68424-85-1	Quaternary ammonium compounds,benzyl-C12-16-alkyldimethyl, chlorides	1.0 -5.0 %	
61791-26-2	Ethoxylated tallow amine	1.0 -1.5 %	
64-17-5	Ethyl alcohol	0.0 -1.0 %	

Page: 2

Printed: 10/26/2022 Revision: 10/26/2022

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get medical aid.

In Case of Skin Contact: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Wash clothing before reuse.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Get medical aid.

In Case of Ingestion: Never give anything by mouth to an unconscious person. Get medical aid. Do NOT

induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or

water.

Treat symptomatically and supportively. Note to Physician:

Fire Fighting Measures

NΡ Flash Pt:

Explosive Limits: LEL: No data. UEL: No data.

NΡ Autoignition Pt:

Suitable Extinguishing Media: Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

> MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion

Products:

No data available.

Accidental Release Measures

Steps To Be Taken In Case

Material Is Released Or

Spilled:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective

Equipment section. Provide ventilation.

7. Handling and Storage

Precautions To Be Taken in

Handling:

Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation. Use with adequate ventilation.

Precautions To Be Taken in

Storing:

Store in a cool, dry, well-ventilated area away from incompatible substances. No special precautions indicated.

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
68424-85-1	Quaternary ammonium compounds,benzyl-C12-16-alkyldimeth yl, chlorides	No data.	No data.	No data.
61791-26-2	Ethoxylated tallow amine	No data.	No data.	No data.
64-17-5	Ethyl alcohol	PEL: 1000 ppm	TLV: 1000 ppm STEL: 1000 ppm	No data.

Page: 3

Printed: 10/26/2022 Revision: 10/26/2022

Respiratory Equipment

(Specify Type):

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved

respirator if exposure limits are exceeded or if irritation or other symptoms are

experienced.

Eve Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

Wear appropriate protective gloves to prevent skin exposure. Glove protection is not Protective Gloves:

normally required.

Other Protective Clothing:

Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and

a safety shower. Use adequate ventilation to keep airborne concentrations low.

Physical and Chemical Properties

[] Gas [X] Liquid [] Solid Physical States:

Appearance and Odor: Lime Green.

Lime.

8.98 pH: Melting Point: NA

100.00 C (212.0 F) **Boiling Point:**

Flash Pt: NP

Evaporation Rate: No data.

No data available. Flammability (solid, gas):

LEL: No data. UEL: No data. **Explosive Limits:**

No data.

Vapor Pressure (vs. Air or

mm Hg):

No data. Vapor Density (vs. Air = 1): Specific Gravity (Water = 1): 1.004 Solubility in Water: No data. Octanol/Water Partition No data.

Coefficient:

NP Autoignition Pt: **Decomposition Temperature:** No data. No data. Viscosity:

10. Stability and Reactivity

Stable [X] Unstable [] Stability:

Conditions To Avoid -

Instability:

Avoid:

Incompatible materials.

Incompatibility - Materials To Strong acids, Strong bases, Water reactive substances (e.g. acetic anhydride, alkyl

aluminum chloride, calcium carbide, ethyl dichlorosilane). alkyl aluminum chloride,

calcium carbide, ethyl dichlorosilane).

Hazardous Decomposition or No data available.

Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid -No data available.

Hazardous Reactions:

Licensed to SUNBELT LABORATORIES: MIRS MSDS, (c) A V Systems, Inc.

Page: 4 I: 10/26/2022

Printed: 10/26/2022 Revision: 10/26/2022

11. Toxicological Information

Toxicological Information: Epidemiology: No information found.

Teratogenicity: No information available. Reproductive Effects: Mutagenicity:

Neurotoxicity:

Carcinogenicity/Other

Information:

IARC: 3 -Group 3: Not classifiable as to its carcinogenicity to humans.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified

as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: NOT REGULATED FOR DOMESTIC TRANSPORT.

DOT Hazard Class: None

UN/NA Number: Packing Group:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: No information available.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Non-Hazardous for Air Transport: Non-hazardous for air transport.

UN Number: Packing Group:

Hazard Class: None

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
68424-85-1	Quaternary ammonium compounds,benzyl-C12-16-alkyldimethyl, chlorides	No	No	No
61791-26-2	Ethoxylated tallow amine	No	No	No
64-17-5	Ethyl alcohol	No	No	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

[] Yes [X] No	Explosive	[] Yes [X] No	Acute toxicity (any route of exposure)
[] Yes [X] No	Flammable (gases, aerosols, liquid, or solid)	[X] Yes [] No	Skin Corrosion or Irritation
[] Yes [X] No	Oxidizer (liquid, solid or gas)	[X] Yes [] No	Serious eye damage or eye irritation
[] Yes [X] No	Self-reactive	[] Yes [X] No	Respiratory or Skin Sensitization
[] Yes [X] No	Pyrophoric (liquid or solid)	[] Yes [X] No	Germ cell mutagenicity
[] Yes [X] No	Pyrophoric gas	[] Yes [X] No	Carcinogenicity
[] Yes [X] No	Self-heating	[] Yes [X] No	Reproductive toxicity
[] Yes [X] No	Organic peroxide	[] Yes [X] No	Specific target organ toxicity (single or repeated exposure)
[] Yes [X] No	Corrosive to metal	[] Yes [X] No	Aspiration Hazard
[] Yes [X] No	Gas under pressure (compressed gas)	[] Yes [X] No	Simple Asphyxiant
[] Yes [X] No	In contact with water emits flammable gas	[X] Yes [] No	(Health) Hazard Not Otherwise Classified (HNOC)
[] Yes [X] No	Combustible Dust		
[] Yes [X] No	(Physical) Hazard Not Otherwise Classified (HNOC)		

Licensed to SUNBELT LABORATORIES: MIRS MSDS, (c) A V Systems, Inc.

GHS format

Page: 5

Printed: 10/26/2022 Revision: 10/26/2022

Regulatory Information: This product has of one or more chemicals], which [is/are] known to the State of

California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Regulatory Information

Statement:

16. Other Information

10/26/2022 Revision Date:

This Product:

Additional Information About DISCLAIMER: To the best of our knowledge, the information contained herin is accurate. There is no assumption of liability for accuracy contained within this

information. The information given is designed only as a guidance for safe handling, use,

processing,

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any

process, unless specified in the text.

Company Policy or

Disclaimer: