SAFETY DATA SHEET

R-A-D Paint Strip

Page 1 of 5 Revision Date: 10-26-2022

SECTION 1 - IDENTIFICATION

Product Identification as on the label/Trade name: R-A-D Paint Strip

Unique Product Codes: 853053008277, 853053008284

Manufactured By:

2388 Franklin Rd

Bloomfield Hills, MI 48302 www.restore-a-deck.com

Company Phone: 866-856-3325

Identified Product Use: Paint / Varnish Remover
NotRecommended for: Other uses are not advised

24-hour Emergency Contact:

INFOTRAC 24-hour: +1-800-535-5053 (USA)

SECTION 2 - HAZARD (s) IDENTIFICATION

Note: This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

Classification:

Physical	Health
None	Skin Irritation Category 2
	Eye Irritation/Serious Eye Damage Category 1

Caution!



Causes skin irritation.
Causes serious eye irritation

Precautionary statements

Wash thoroughly after handling.

Wear protective gloves, eye protection and face protection.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical attention.

Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

neina

rinsing.

Immediately call a POISON CENTER.

Revision Date: 10-26-2022

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Concentration
Benzyl Alcohol	100-51-6	40-50%
Monoethanolamine	141-43-5	1-5%

The composition of this proprietary blend is being withheld in compliance with the trade secret provisions of The Hazard Communication Standard (29 CFR 1910.1200(i))

SECTION 4 - FIRST-AID MEASURES

Inhalation: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.

Skin contact: Wash thoroughly with soap and water until no traces of the chemical remains. Remove contaminated clothing and launder before reuse. Get medical attention if irritation or symptoms of exposure develop.

Eye contact: Immediately flush eyes with water for at least 20 minutes while lifting the upper and lower lids. Get immediate medical attention.

Ingestion: If swallowed, do not induce vomiting. Administer 2 glasses of water immediately. Obtain medical care and hospital treatment.

Most important symptoms/effects, acute and delayed: Causes severe eye irritation. May cause skin irritation. Inhalation of vapors or mists may cause mucous membrane and upper respiratory irritation. Swallowing may cause irritation of the mouth, throat and stomach with nausea and diarrhea.

Indication of immediate medical attention and special treatment, if necessary: If eye contact occurs, get immediate medical attention.

SECTION 5 - FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media: Use any media appropriate for surrounding fire.

Specific hazards arising from the chemical: None known.

Special protective equipment and precautions for fire-fighters: Firefighters should wear full emergency equipment and NIOSH approved positive pressure self-contained breathing apparatus. Cool fire exposure containers with water.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures: Wear appropriate protective clothing and equipment to prevent eye and skin contact.

Environmental precautions: Avoid release to the environment. Report spill as required by local and federal regulations.

Methods and materials for containment and cleaning up: Dike spill and collect into closable containers for disposal with an inert absorbent. Wash spill site with water.

SECTION 7 - HANDLING & STORAGE

Precautions for safe handling: Prevent contact with eyes and skin. Avoid contact with clothing. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and launder contaminated clothing before re-use. Wash thoroughly after handling and before eating, drinking, smoking or using toilet facilities.

Empty containers retain product residues. Follow all SDS precautions in handling empty containers.

Conditions for safe storage, including any incompatibilities: Store in a cool, well ventilated area away from oxidizers and other incompatible materials. Protect containers from physical damage.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure guidelines:

Benzyl Alcohol	10 ppm TWA AIHA WEEL
Monoethanolamine	3 mg/m3 TWA ACGIH TLV
	6 mg/m3 STEL ACGIH TLV
	3 mg/m3 TWA OSHA PEL

Appropriate engineering controls: Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions. If the recommended exposure limit is exceeded increased mechanical ventilation such as local exhaust may be required.

Personal Protective Equipment:

Respiratory protection: Good general ventilation (equivalent to outdoors) should be adequate under normal conditions. For spray application and for large jobs where the recommended exposure limit may be exceeded an approved organic vapor respirator with a particulate pre-filter, supplied air respirator (with escape bottle if required) or self-contained breathing apparatus may be required. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with OSHA 1910.134 and good Industrial Hygiene practice.

Skin protection: Butyl rubber or other impervious gloves are recommended to prevent skin contact.

Eye protection: Wear chemical goggles and faceshield to prevent eye contact.

Other: Impervious apron, boots and other clothing are recommended if needed to prevent contact or if splashing is possible. For operations where contact can occur, a safety shower and an eye wash facility should be available.

SECTION 9 - PHYSIAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.): White, viscous liquid

Odor: Sweet.

Odor threshold: Not available	pH: Not available
Melting point/freezing point: Not available	Boiling point: Not available
Flash point: Not flammable	Evaporation rate: Not available
Flammability (solid, gas): Not applicable	
Flammable limits: LEL: Not available	UEL: Not available
Vapor pressure: Not determined	Vapor density: Not available
Relative density: 1.02	Solubility(ies): Completely soluble in water
Partition coefficient: n-octanol/water: Not	Auto-ignition temperature: Not available
available	

R-A-D Paint Strip

Revision Date: 10-26-2022

Decomposition temperature: Not available	Viscosity: Not available
VOC: 4.9% (50.47 g/L)	

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions of use.

Chemical stability: Stable

Possibility of hazardous reactions: None known.

Conditions to avoid: Contact with copper, zinc and aluminum may release flammable hydrogen gas.

Incompatible materials: Strong oxidizing agents, acids, iron, halogenated hydrocarbons and metals peroxides.

May attack some plastics.

Hazardous decomposition products: Thermal decomposition may produce carbon and nitrogen oxides.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute effects of exposure:

Inhalation: Inhalation of vapors or mist may cause respiratory irritation with sore throat and coughing, headache, dizziness, drowsiness, nausea, weakness, intoxication and narcosis.

Skin Contact: Contact may cause severe irritation with redness. Prolonged or widespread contact may allow monoethanolamine to be absorbed through the skin with symptoms similar to those listed under inhalation or ingestion.

Eye Contact: Contact may cause severe irritation or burns with redness, pain, tearing, swelling and blurred vision. Eye damage may occur.

Ingestion: Swallowing may cause gastrointestinal irritation with abdominal pain, nausea, vomiting and diarrhea. Large amounts may cause systemic effects including headache, dizziness, drowsiness, weakness, intoxication, narcosis, metabolic acidosis and kidney, liver or blood system damage.

Chronic Effects: Prolonged or repeated overexposure may cause severe skin irritation or dermatitis and damage to the liver, kidneys or blood system. Benzyl alcohol has been shown to cause liver damage in dermal studies with laboratory animals.

Sensitization: None of the components have been shown to cause sensitization to animals or humans.

Germ Cell Mutagenicity: None of the components have been shown to cause germ cell mutagenicity.

Reproductive Toxicity: None of the components have been shown to cause reproductive or developmental toxicity.

Carcinogenicity: None of the components greater than 0.1% are listed as carcinogens or suspected carcinogens by IARC, NTP, ACGIH or OSHA.

Acute toxicity values:

ATE Oral LD50: > 5000 mg/kg ATE Dermal LD50: > 2000 mg/kg

Benzyl Alcohol: Oral Rat LD50: 1620 mg/kg; Dermal Rabbit LD50: >2000 mg/kg; Inhalation Rat LC50:

 $>4178 \text{ mg/m}^3 4 \text{ hr}$

Monoethanolamine: Oral Rat LD50: 10.2 g/kg; Dermal Rabbit: 1025 mg/kg

SECTION 12 - ECOLOGICAL INFORMATION

This product may be harmful to the aquatic environment.

Ecotoxicity values:

Revision Date: 10-26-2022

Benzyl Alcohol: 96h LC50 Pimephales promelas 460 mg/L; 48h EC50 Daphnia magna 230 mg/L; 72 hr EC50 Pseudokirchnerella subcapitata 770 mg/L

Monoethanolamine: 96 hr LC50 Cyprinus carpio 349 mg/L; 48h EC50 Daphnia magna 65 mg/L; 72 hr EC50

Pseudokirchnerella subcapitata 2.5 mg/L

Persistence and degradability: Monoethanolamine is readily biodegradable.

Bioaccumulative potential: Monoethanolamine has a BCF of 3. **Mobility in soil:** Monoethanolamine is highly mobile in soil.

Other adverse effects: None known.

SECTION 13 - DISPOSAL CONSIDERATIONS

Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14 - TRANSPORT INFORMATION					
Regulation	Proper Shipping Name	UN#	Hazard Class	Packing Group	
DOT	Not regulated, Non Hazardous				
IATA	Not regulated, Non Hazardous				
IMDG	Not regulated, Non Hazardous				

SECTION 15 - REGULATORY INFORMATION

Safety, health, and environmental regulations specific for the product in question.

CERCLA Hazardous Substances (Section 103)/RQ: This product is not subject to CERCLA reporting requirements as it is sold. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

SARA Hazard Category (311/312): Refer to Section 2 for the OSHA Hazard Classification.

EPA SARA 313: This product contains the following chemicals regulated under SARA Title III, section 313: None.

EPA TSCA Inventory: All of the components of this product are listed on the TSCA inventory.

CANADA:

Canadian CEPA: All the components of this product are listed on the Canadian DSL.

SECTION 16 - OTHER INFORMATION

Product Literature

Additional information on this product may be obtained by calling your sales or customer service contact. Ask for a product brochure